



NOTE: ALL UNSPECIFIED DIMENSIONS ARE HAVING TOLERANCE OF ± 0.1 mm.

LEAD WIRE
4.0 mm² X 1 FT

SPECIFICATIONS

MODEL	POWER IN WATTS/HP	SPEED IN RPM	VOLTAGE IN VDC	CURR. IN AMPS	RATIO	OUTPUT SPEED IN RPM	TORQUE IN KG-CM	INSL. CLASS	DUTY CYCLE	PROTEC-TION	ENCL.	WEIGHT (KG)
M6BWAF	180 / 0.25	1500	12 / 24	19.5 / 10.0	6.6	220	24	B	S1	IP44	TEFC	15.0
M6BWBF	180 / 0.25	1500	12 / 24	19.5 / 10.0	10.0	150	36	B	S1	IP44	TEFC	
M6BWCF	180 / 0.25	1500	12 / 24	19.5 / 10.0	14.5	100	50	B	S1	IP44	TEFC	
M6BWDF	180 / 0.25	1500	12 / 24	19.5 / 10.0	20.0	75	96	B	S1	IP44	TEFC	
M7BWAF	360 / 0.5	1500	12 / 24	39.0 / 19.5	6.6	220	48	B	S1	IP44	TEFC	
M7BWBF	360 / 0.5	1500	12 / 24	39.0 / 19.5	10.0	150	72	B	S1	IP44	TEFC	
M7BWCF	360 / 0.5	1500	12 / 24	39.0 / 19.5	14.5	100	100	B	S1	IP44	TEFC	
M7BWDF	360 / 0.5	1500	12 / 24	39.0 / 19.5	20.0	75	192	B	S1	IP44	TEFC	

MOUNTING : FLANGE

ALL DIMENSIONS ARE IN MM.

REV.NO DATE DESCRIPTION DRN.BY APD.BY



PMDC MOTOR.

TITLE 118DIA WORM-flange/MOTOR.

MMC ELECTRIC COMPANY PVT.LTD. BELGAUM.

REVISION NO. REVISION DATE.

00 05/06/2009

DRAWN BY. APPROVED BY.

MANOHAR R.S.KUNDGOLKAR

SHEET 1 OF 1 MATERIAL

SCALE. N.T.S. -----

DRG.NO MI-118/121-M[FL]B