



SPECIFICATIONS

MODEL	POWER IN WATTS/HP	SPEED IN RPM	VOLTAGE IN DC	CURR. IN AMPS	RATIO	O/P SPEED IN RPM	TORQUE IN KG-CM	INSL. INSL.	DUTY CYCLE	MOUNTING	PROTEC-TION	ENCL.	WEIGHT (KG)
M1WA	40/0.05	1700	180	0.4	55	30	40	B	S1	Foot cum Flange	IP44	TENV	4.8
M1WB	40/0.05	1700	180	0.4	27.5	60	20	B	S1	Foot cum Flange	IP44	TENV	
M1WC	40/0.05	2200	180	0.4	18	120	10	B	S1	Foot cum Flange	IP44	TENV	
M1WD	40/0.05	3000	180	0.4	18	160	8	B	S1	Foot cum Flange	IP44	TENV	
M2WA	75/0.10	1700	180	0.5	55	30	80	B	S1	Foot cum Flange	IP44	TENV	4.8
M2WB	75/0.10	1700	180	0.5	27.5	60	40	B	S1	Foot cum Flange	IP44	TENV	
M2WC	75/0.10	2200	180	0.5	18	120	20	B	S1	Foot cum Flange	IP44	TENV	
M2WD	75/0.10	3000	180	0.5	18	160	16	B	S1	Foot cum Flange	IP44	TENV	



PMDC MOTOR.

TITLE		75DIA WORM GEARED MOTOR		MMC ELECTRIC COMPANY PVT.LTD. BELGAUM.		
REVISION NO.	00	REVISION DATE.	19/07/06			
DRAWN BY.	MANOHAR	APPROVED BY.	R.S.KUNDGOLKAR	SHEET	1 OF 1	MATERIAL
				SCALE.	N.T.S.	----
				DRG.NO.	MI-75/109-M	

ALL DIMENSIONS ARE IN MM. REV.NO DATE DESCRIPTION DRN.BY APD.BY